



Bathroom Furniture






BASIC COLLECTION

Basins & vanity units	6 - 17
Wall cabinets & mirror doors	18 - 19
Tall cabinets	20 - 21
Accessories	22 - 31




COLORS & MATERIALS

Stock and made-to-order doors	34 - 35
Laminate countertops	36 - 37
Handles	38 - 43
Plumbing products	44 - 53



COMPACT LAMINATE FURNITURE

Vanity units	56 - 57
Mirror cabinets	58 - 59
Tall cabinets	60
Accessories	61



ILLUMINATED MIRRORS & MIRROR CABINETS

Illuminated mirrors	64 - 69
Illuminated mirror cabinets	70 - 71



BASIC COLLECTION

MIX AND MATCH FREELY AND CHOOSE FOR YOUR SET:

- Basin with Hard Gel Coat or Durocoat finish. The basin delivery includes a space-saving water trap from the Finnish manufacturer Prevox.
- Your chosen vanity unit, with a frame made of white melamine board; delivered assembled or as components, according to your choice.
- Choose doors that suit the style of your bathroom.
- Drawers with Softclose runners.

▷ CHOOSE DOOR MODEL FROM PAGES 34 - 35


▷ CHOOSE HANDLE MODEL FROM PAGES 38 - 43

The frame material is moisture-resistant white melamine board P3, and all sides of the cabinets are edge-banded with 0.8 mm ABS tape. Cabinet frames are delivered individually packed in cardboard boxes. Drawers are delivered pre-assembled and individually packed in cardboard boxes.





WIDTH:500, 600, 900, 1200 MM
DEPTH:310 MM



- basin depth 140 mm
- edge thickness 40 mm
- chromed bottom plug in the basin
- Hard Gel Coat finish, which has a 5-year warranty
- All our cast marble basins include high-quality and space-saving water traps manufactured by the Finnish company Prevox.
- Note! The faucet shown in the picture is not included.



LEFT-HANDED BASIN



RIGHT-HANDED BASIN



TALIA BASINS

Code	Width	NLK
270060082511	500	11300
270060082611	600	11300
270090782611	900 LEFT	11300
270090982611	900 RIGHT	11300
270120082611	1200	11300

VANITY UNIT DEPTH 288 MM



TALIA VANITY UNIT

Dimensions mm	Height	Width	Depth
	566	500, 600	288

Moisture-resistant white melamine board P3

Door dimensions mm	Height	Width
	137	596
	420	296
	562	296

Code	Description	NLK
WPI50ALV	VANITY UNIT 566*500*288 WHITE	11500
WPI60ALV	VANITY UNIT 566*600*288 WHITE	11500

BASE SIDE CABINET DEPTH 288 MM



TALIA BASE SIDE CABINET

Dimensions mm	Height	Width	Depth
	566	300	288

Moisture-resistant white melamine board P3


Door dimensions mm	Height	Width
	562	296

Code	Description	NLK
WPI30ASV	VANITY UNIT 566*300*288 WHITE	11500




WIDTH:600, 900, 1200 MM
DEPTH:450 MM




- basin depth 178 mm
- edge thickness 15 mm
- shaped basin panels must be ordered separately
- Durocoat finish, which has a 5-year warranty
- All our cast marble basins include high-quality and space-saving water traps manufactured by the Finnish company Prevox.
- Note! The faucet shown in the picture is not included.



LEFT-HANDED BASIN



RIGHT-HANDED BASIN



SANDRA BASINS

Code	Width	NLK
639060081611	600	11320
639090781611	900 LEFT	11320
639090981611	900 RIGHT	11320
639120081611	1200	11320

VANITY UNIT DEPTH 288 MM



SANDRA VANITY UNIT & SHAPED BASIN PANEL

Dimensions mm	Height	Width	Depth
	566	500, 600	288

Moisture-resistant white melamine board P3

Door dimensions mm	Height	Width
	137	596 basin front panel
	420	296

Code	Description	NLK
WPI50ALV	VANITY UNIT 566*500*288 WHITE	11500
WPI60ALV	VANITY UNIT 566*600*288 WHITE	11500
3220101376	SHAPED BASIN PANEL SANDRA 137*596 WHITE	11321

BASE SIDE CABINET DEPTH 288 MM



SANDRA BASE SIDE CABINET

Dimensions mm	Height	Width	Depth
	566	300	288

Moisture-resistant white melamine board P3











Door dimensions mm	Height	Width
	562	296

Code	Description	NLK
WPI30ASV	VANITY UNIT 566*300*288 WHITE	11500



WIDTH:500, 600, 700, 800, 900, 1000, 1200 MM
DEPTH:390 MM

- basin depth 140 mm
- edge thickness 40 mm
- chromed bottom plug in the basin
- Hard Gel Coat finish, which has a 5-year warranty
- All our cast marble basins include high-quality and space-saving water traps manufactured by the Finnish company Prevox. Note! The faucet shown in the picture is not included.



LOMIA BASINS

Code	Width	NLK
455050082611	500	11310
455060082611	600	11310
455070082611	700	11310
455080082611	800	11310
455090992611	900	11310
455090782611	900 LEFT	11310
455090982611	900 RIGHT	11310
455100082611	1000	11310
455120082611	1200	11310
455120082612	1200, 2 BASINS	11310

VANITY UNIT DEPTH 366 MM



LOMIA VANITY UNIT

Dimensions mm	Height	Width	Depth
	566	500, 600, 700, 800, 900, 1000, 1200	366

Material moisture-resistant white melamine board P3

Door dimensions mm	Height	Width
	278	496, 596, 696, 796, 896, 996, 1196 mm
	562	296, 396, 496, 596 mm

Drawer set	1 pc Ten low + 1 pc Ten high
-------------------	---------------------------------

Code	Description	NLK
WBR50ALV	VANITY UNIT 566*500*366 WHITE	11510
WBR60ALV	VANITY UNIT 566*600*366 WHITE	11510
WBR70ALV	VANITY UNIT 566*700*366 WHITE	11510
WBR80ALV	VANITY UNIT 566*800*366 WHITE	11510
WBR90ALV	VANITY UNIT 566*900*366 WHITE	11510
WBRA100ALV	VANITY UNIT 566*1000*366 WHITE	11510
WBRA120ALV	VANITY UNIT 566*1200*366 WHITE	11510

BASE SIDE CABINET DEPTH 366 MM



DRAWER SET

Dimensions mm	Height	Width	Depth
	566	300	366

Material moisture-resistant white melamine board P3

Door dimensions mm	Height	Width
	278	296 mm
	562	296 mm

Drawer set	2 pcs Ten high
-------------------	----------------

Code	Description	NLK
WBR30ALV	VANITY UNIT 566*300*366 WHITE	11510


REFERENCE

- page 17




WIDTH:500, 600, 800, 900, 1200 MM
DEPTH:390 MM


- basin depth 117 mm
- edge thickness 15 mm
- Hard Gel Coat finish, which has a 5-year warranty
- All our cast marble basins include high-quality and space-saving water traps manufactured by the Finnish company Prevox.
- Note! The faucet shown in the picture is not included.



LEFT-HANDED BASIN



RIGHT-HANDED BASIN



TANGO BASINS

Code	Width	NLK
640050082611	500	11330
640060082611	600	11330
640080082611	800	11330
640090782611	900 LEFT	11330
640090982611	900 RIGHT	11330
640120082611	1200	11330

VANITY UNIT DEPTH 366 MM



TANGO VANITY UNIT

Dimensions mm	Height	Width	Depth
	566	500, 600, 700, 800, 900, 1000, 1200	366

Material moisture-resistant white melamine board P3

Door dimensions mm	Height	Width
	278	496, 596, 696, 796, 896, 996, 1196 mm
	562	296, 396, 496, 596 mm

Drawer set 1 pc Ten low + 1 pc Ten high

Code	Description	NLK
WBR50ALV	VANITY UNIT 566*500*366 WHITE	11510
WBR60ALV	VANITY UNIT 566*600*366 WHITE	11510
WBR70ALV	VANITY UNIT 566*700*366 WHITE	11510
WBR80ALV	VANITY UNIT 566*800*366 WHITE	11510
WBR90ALV	VANITY UNIT 566*900*366 WHITE	11510
WBR100ALV	VANITY UNIT 566*1000*366 WHITE	11510
WBR120ALV	VANITY UNIT 566*1200*366 WHITE	11510

BASE SIDE CABINET DEPTH 366 MM



DRAWER SET

Dimensions mm	Height	Width	Depth
	566	300	366

Material moisture-resistant white melamine board P3

Door dimensions mm	Height	Width
	278	296 mm
	562	296 mm

Drawer set 2 pcs Ten high

Code	Description	NLK
WBR30ALV	VANITY UNIT 566*300*366 WHITE	11510





REFERENCE

• page 17




WIDTH:600, 800, 900, 1000, 1200 MM
DEPTH:485 MM


- basin depth 127 mm
- edge thickness 15 mm
- chromed bottom plug in the basin
- Hard Gel Coat finish, which has a 5-year warranty
- All our cast marble basins include high-quality and space-saving water traps manufactured by the Finnish company PreveX.
- Note! The faucet shown in the picture is not included.



RIGHT-HANDED BASIN



LEFT-HANDED BASIN



TRISTAN BASINS

Code	Width	NLK
626060082611	600	11340
626080082611	800	11340
626090782611	900 LEFT	11340
626090982611	900 RIGHT	11340
626100082611	1000	11340
626120082611	1200	11340

VANITY UNIT DEPTH 462 MM



TRISTAN VANITY UNIT

Dimensions mm	Height	Width	Depth
	566	600, 800, 1000, 1200	462

Material moisture-resistant white melamine board P3

Door dimensions mm	Height	Width
	278	596, 796, 996, 1196 mm
	562	296, 396, 496, 596 mm

Drawer set 1 pc Ten low + 1 pc Ten high

Code	Description	NLK
WTR60ALV	VANITY UNIT 566*600*462 WHITE	11520
WTR80ALV	VANITY UNIT 566*800*462 WHITE	11520
WTRA100ALV	VANITY UNIT 566*1000*462 WHITE	11520
WTRA120ALV	VANITY UNIT 566*1200*462 WHITE	11520

BASE SIDE CABINET DEPTH 462 MM



DRAWER SET

Dimensions mm	Height	Width	Depth
	566	300, 400	462

Material moisture-resistant white melamine board P3

Door dimensions mm	Height	Width
	278	296, 396 mm
	562	296, 396 mm

Drawer set 2 pcs Ten high

Code	Description	NLK
WTR30ALV	VANITY UNIT 566*300*462 WHITE	11520
WTR40ALV	VANITY UNIT 566*400*462 WHITE	11520

REFERENCE

- page 17


NOTE!

Low drawer front drilling = Kph TEN low 2 bor

UPPOMARMOR



- External dimensions 510 x 390 mm
- Basin depth 120 mm
- Cutout dimension 490 x 370 mm oval
- chromed bottom plug in the basin
- Durocoat finish, which has a 5-year warranty
- All our cast marble basins include high-quality and space-saving water traps manufactured by the Finnish company Prevex.
- Note! The faucet shown in the picture is not included.




Code	Description	NLK
620050082611	UPPOMARMOR WHITE (M2)	11350

CLEVER 500



- External dimensions 502 x 390 mm
- Basin depth 120 mm
- Edge thickness 20 mm
- 480 x 370 mm
- chromed bottom plug in the basin
- Durocoat finish, which has a 5-year warranty
- All our cast marble basins include high-quality and space-saving water traps manufactured by the Finnish company Prevex.
- Note! The faucet shown in the picture is not included.



Code	Description	NLK
621050082611	CLEVER 500 DROP-IN WHITE (M1)	11350

VANITY UNIT DEPTH 366 MM

- Lomia, Tango
- base side cabinet depth 366 mm
- tall cabinet depth 366 mm

TEN LOW 90/270 ASSEMBLED

Code	Description	NLK
TEN90M50V270	TEN LOW 90/270 M50	11560
TEN90M60V270	TEN LOW 90/270 M60	11560
TEN90M70V270	TEN LOW 90/270 M70	11560
TEN90M80V270	TEN LOW 90/270 M80	11560
TEN90M90V270	TEN LOW 90/270 M90	11560
TEN90MA100V270	TEN LOW 90/270 M100	11560
TEN90MA120V270	TEN LOW 90/270 M120	11560

TEN HIGH 200/270 ASSEMBLED

Code	Description	NLK
TEN200M30V270	TEN HIGH 200/270 M30	11560
TEN200M40V270	TEN HIGH 200/270 M40	11560
TEN200M50V270	TEN HIGH 200/270 M50	11560
TEN200M60V270	TEN HIGH 200/270 M60	11560
TEN200M70V270	TEN HIGH 200/270 M70	11560
TEN200M80V270	TEN HIGH 200/270 M80	11560
TEN200M90V270	TEN HIGH 200/270 M90	11560
TEN200MA100V270	TEN HIGH 200/270 M100	11560
TEN200MA120V270	TEN HIGH 200/270 M120	11560

VANITY UNIT DEPTH 462 MM

- Tristan
- base side cabinet depth 462 mm

TEN LOW 90/350 ASSEMBLED

Code	Description	NLK
TEN90M60V350	TEN LOW 90/350 M60	11560
TEN90M80V350	TEN LOW 90/350 M80	11560
TEN90MA100V350	TEN LOW 90/350 M100	11560
TEN90MA120V350	TEN LOW 90/350 M120	11560

Note! Low drawer front drilling = Kph TEN low 2 bor

TEN HIGH 200/350 ASSEMBLED

Code	Description	NLK
TEN200M30V350	TEN HIGH 200/350 M30	11560
TEN200M40V350	TEN HIGH 200/350 M40	11560
TEN200M60V350	TEN HIGH 200/350 M60	11560
TEN200M80V350	TEN HIGH 200/350 M80	11560
TEN200MA100V350	TEN HIGH 200/350 M100	11560
TEN200MA120V350	TEN HIGH 200/350 M120	11560



MIRROR DOOR CABINETS



Dimensions mm	Height	Width	Depth
	704	300, 400, 500, 600, 700, 800	150

Material moisture-resistant white melamine board P3

Door dimensions mm	Height	Width
	703	296, 346, 396

Code	Description	NLK
WSK30V	WALL CABINET 704*300*150 WHITE	11550
WSK40V	WALL CABINET 704*400*150 WHITE	11550
WSK50V	WALL CABINET 704*500*150 WHITE	11550
WSK60V	WALL CABINET 704*600*150 WHITE	11550
WSK70V	WALL CABINET 704*700*150 WHITE	11550
WSK80V	WALL CABINET 704*800*150 WHITE	11550

Note! Hinge drilling in mirror doors 100/8 mm, cup 35 mm, drilling depth 12 mm

DOUBLE-SIDED MIRROR DOOR



Dimensions mm	Height	Width	Thickness
	703	296, 345, 396, 496	15

Material moisture-resistant white melamine board P3. Painted.

Code	Description	NLK
322907033	MIRROR DOOR DOUBLE-SIDED 703*296	11552
3229070331	MIRROR DOOR DOUBLE-SIDED 703*345	11552
322907034	MIRROR DOOR DOUBLE-SIDED 703*396	11552
322907035	MIRROR DOOR DOUBLE-SIDED 703*496	11552

SINGLE-SIDED MIRROR DOOR



Dimensions mm	Height	Width	Thickness
	703	296, 396	15

Material moisture-resistant white melamine board P3

Code	Description	NLK
322927033	MIRROR DOOR SINGLE-SIDED 703*296	11552
322927034	MIRROR DOOR SINGLE-SIDED 703*396	11552



BASIN:

TANGO 600 MM

DOOR:

INTEGRA HIGH GLOSS SNOW WHITE

ILLUMINATED MIRROR:

MIRRO 1

MIRROR DOOR CABINETS



Dimensions mm	Height	Width	Depth
	1556	300, 400	288, 366

Material moisture-resistant white melamine board P3

Door dimensions mm	Height	Width
	278	296, 396 mm
	562	296, 396 mm
	988	296, 396 mm

Drawer set 2 pcs Ten high

Code	Description	NLK
WBR30KAV	TALL CABINET 1556*300*288 WHITE	11540
WBR40KAV	TALL CABINET 1556*400*288 WHITE	11540
WTR30KAV	TALL CABINET 1556*300*366 WHITE	11540
WTR40KAV	TALL CABINET 1556*400*366 WHITE	11540

Note! Drawers are only available for tall cabinets with a depth of 366 mm.

SINGLE-SIDED MIRROR DOOR



Dimensions mm	Height	Width	Depth
	1750	300, 400	288, 366

Material moisture-resistant white melamine board P3

Door dimensions mm	Height	Width
	278	296, 396 mm
	562	296, 396 mm
	703	296, 396 mm
	1750	296, 396 mm

Drawer set 2 pcs Ten high

Code	Description	NLK
WBR30KKV	TALL CABINET 1750*300*288 WHITE	11540
WBR40KKV	TALL CABINET 1750*400*288 WHITE	11540
WTR30KKV	TALL CABINET 1750*300*366 WHITE	11540
WTR40KKV	TALL CABINET 1750*400*366 WHITE	11540

TEN PROFILE DRAWERS

- page 17

ACCESSORIES

LIGHT CANOPY 16 LED



Dimensions mm	LED lights	Luminous flux	Light tone
600 - 700	8.1 W	810 lm	4000 K
800 - 900	11.2 W	1120 lm	4000 K
1200	17.4 W	1740 lm	4000 K

Code	Description	NLK
VALL16LED2600	LIGHT CANOPY 16 LED 600 WHITE	11570
VALL16LED2700	LIGHT CANOPY 16 LED 700 WHITE	11570
VALL16LED2800	LIGHT CANOPY 16 LED 800 WHITE	11570
VALL16LED2900	LIGHT CANOPY 16 LED 900 WHITE	11570
VALL16LED21200	LIGHT CANOPY 16 LED 1200 WHITE	11570

LIGHT CANOPIES:

- Material painted white melamine faced chipboard
- Canopy depth 280 mm and thickness 16 mm.
- **NOTE!** Transformer 12V 30W must be ordered separately

LIGHT CANOPY LED CHIP



Dimensions mm	LED lights	Luminous flux	Light tone
500 - 600	2*4 W	250 lm/lamp	4000 K
700 - 900	3*4 W	250 lm/lamp	4000 K
1200	4*4 W	250 lm/lamp	4000 K

Code	Description	NLK
VALL16LD19500	LIGHT CANOPY 16 LED CHIP 500 WHITE	11571
VALL16LD19600	LIGHT CANOPY 16 LED CHIP 600 WHITE	11571
VALL16LD19700	LIGHT CANOPY 16 LED CHIP 700 WHITE	11571
VALL16LD19800	LIGHT CANOPY 16 LED CHIP 800 WHITE	11571
VALL16LD19900	LIGHT CANOPY 16 LED CHIP 900 WHITE	11571
VALL16LD19A1200	LIGHT CANOPY 16 LED CHIP 1200 WHITE	11571

LIGHT CANOPY LED 45



Dimensions mm	LED lights	Luminous flux	Light tone
500 - 900	2*3 W	250 lm/lamp	4000 K
1200	3*3 W	250 lm/lamp	4000 K

Code	Description	NLK
VALL16LD45500	LIGHT CANOPY 16 LED 45 500 WHITE	11572
VALL16LD45600	LIGHT CANOPY 16 LED 45 600 WHITE	11572
VALL16LD45700	LIGHT CANOPY 16 LED 45 700 WHITE	11572
VALL16LD45800	LIGHT CANOPY 16 LED 45 800 WHITE	11572
VALL16LD45900	LIGHT CANOPY 16 LED 45 900 WHITE	11572
VALL16LD45A1200	LIGHT CANOPY 16 LED 45 1200 WHITE	11572

TRANSFORMERS FOR LIGHT CANOPIES

Code	Description	NLK
5990428-10	LED DRIVER 30W 12V IP44 10-PIN	1007



BOX DRIVER WITH SOCKET



- The device features 1 Schuko socket, 12V/30W driver + 6 PIN light connector
- Connection: 220 - 240V
- Color: aluminum

Dimensions mm	Height	Width	Depth
	65	344	65

Code	Description	NLK
3756061	BOX ALU DRIVER 30W	1008

MIRROR CABINET BOX 30W



- LED driver 12V / 30W
- Socket with residual current device (RCD)
- Easy to install with 4 x 4x30 mm screws (included in the package)

Dimensions mm	Height	Width	Depth
	78	370	90

Code	Description	NLK
3750080	BOX 30W RCD WHITE	1008

LIGHT BASES



Code	Description	NLK
VALP16LED2267	LIGHT BASE 16 LED 267 WHITE	11555
VALP16LED2567	LIGHT BASE 16 LED 567 WHITE	11555
VALP16LED2667	LIGHT BASE 16 LED 667 WHITE	11555
VALP16LED2767	LIGHT BASE 16 LED 767 WHITE	11555



LED IIRIS 300MM CHROME



Dimensions mm	Height	Width	Depth
	33	300	125

- Power consumption: 300 mm/5.5W
- Luminous flux: 300 mm/313lm
- Light tone: 4000K
- Color rendering index CRI 85
- Color: chrome
- IP rating: IP44
- Built-in driver

Code	Description	NLK
3814420	LED IIRIS 300MM CHROME	1004

LED WALL LIGHT BLACK



Dimensions mm	Height	Width	Depth
	68	300	145
	68	600	145

- LED wall light black
- LED lamp, matte black aluminum bracket
- Color temperature 4000K
- Can be mounted on the wall, to the mirror's metal frame, or directly to the mirror
- 220V
- CE, IP44

Code	Description	NLK
LL300LLP23	LED WALL LIGHT BLACK 300 mm 4000K IP44	11556
LL600LLP25	LED WALL LIGHT BLACK 600 mm 4000K IP44	11556

PERSEO




Dimensions mm	Height	Width	Depth
	800	400, 600, 800, 1000, 1200	22

- Mirror with aluminum frame
- Mirror thickness 5 mm
- Safety film on the back
- Vertical or horizontal mounting
- CE

Code	Description	NLK
PBR80402224S	MIRROR PERSEO BLACK 800X400 mm	11556
PBR806022220S	MIRROR PERSEO BLACK 800X600 mm	11556
PBR80802221S	MIRROR PERSEO BLACK 800X800 mm	11556
PBR801002222S	MIRROR PERSEO BLACK 800X1000 mm	11556
PBR801202223S	MIRROR PERSEO BLACK 800X1200 mm	11556

PERSEO OVAL



Dimensions mm	Height	Width	Depth
	900	380	22

- Oval
- Mirror with aluminum frame
- Mirror thickness 5 mm
- Safety film on the back
- Vertical or horizontal mounting
- CE

Code	Description	NLK
PBO90381288S	MIRROR PERSEO BLACK 900X380 mm	11556
PBO90381289S	MIRROR PERSEO BRASS 900X380 mm	11556



BASIN:

TANGO 600 MM

DOOR:

ZENIT SUPER MATTE ANTHRACITE

HANDLE:

TIFO CHAMPAGNE

ILLUMINATED MIRROR:

MIRRO 2

GLASS SHELVES FOR MIRROR DOOR CABINET



- Shelf thickness: 6 mm
- Incl. 2 pcs shelf + 8 pcs glass shelf support
- Packed in cardboard


Code	Description	NLK
LASIHKPH3	GLASS SHELF CLEAR 266*128*6	11554
LASIHKPH4	GLASS SHELF CLEAR 366*128*6	11554
LASIHKPH5	GLASS SHELF CLEAR 466*128*6	11554
LASIHKPH6	GLASS SHELF CLEAR 566*128*6	11554
LASIHKPH7	GLASS SHELF CLEAR 666*128*6	11554
LASIHKPH8	GLASS SHELF CLEAR 766*128*6	11554
LASIHKPHKOM4	GLASS SHELF CLEAR TALL CABINET 366*344*6	11554

FURNITURE LEGS ALUMINUM & BLACK



- The weight capacity of the aluminum leg is 100 kg / leg

Code	Description	NLK
36232MB10M	PLINTH LEG ALU 32*32*100	11580
36232MB15M	PLINTH LEG ALU 32*32*150	11580
36232MB20M	PLINTH LEG ALU 32*32*200	11580
36232MB25M	PLINTH LEG ALU 32*32*250	11580
36232MB30M	PLINTH LEG ALU 32*32*300	11580
362MB35M	PLINTH LEG ALU 32*32*350	11580
36232MB10B	PLINTH LEG BLACK 32*32*100	11580
36232MB15B	PLINTH LEG BLACK 32*32*150	11580
36232MB20B	PLINTH LEG BLACK 32*32*200	11580
36232MB25B	PLINTH LEG BLACK 32*32*250	11580





ACCESSORIES

2 SMALL BOXES WITH LID 253 MM



- Two small boxes with lid
- Color: white

Dimensions mm	Width	Depth	Height
	146	253	69

Code	Description	NLK
6ONB1CA253SP00	2 BOXES WHITE 253 mm	11586

TRAY + 2 MOVABLE INSERTS 253 MM



- Tray + 2 movable inserts
- (1) Tray with divider
- (2) Box for small cosmetics
- Color: white

Dimensions mm	Width	Depth	Height
	300	253	50

Code	Description	NLK
6ONB1CA253VL	ORGANIZER LARGE WHITE 253 mm	11586

TRAY + 1 MOVABLE INSERT 253 MM



- Tray + 1 movable insert
- (2) Box for small cosmetics
- Color: white

Dimensions mm	Width	Depth	Height
	230	253	50

Code	Description	NLK
6ONB1CA253VM	ORGANIZER SMALL WHITE 253 mm	11586

3 SMALL BOXES WITH LID 328 MM



- Three small boxes with lid
- Color: white

Dimensions mm	Width	Depth	Height
	146	328	69

Code	Description	NLK
60NB1CA328SPO	3 BOXES WHITE 328 mm	11586

TRAY + 3 MOVABLE INSERTS 328 MM



- Tray + 3 movable inserts
- (1) Tray with divider
- (2) Box for small cosmetics
- (3) Storage box with angled compartments
- Color: white

Dimensions mm	Width	Depth	Height
	308	328	90

Code	Description	NLK
60NB1CA328VL	ORGANIZER LARGE WHITE 328 mm	11586

TRAY + 2 MOVABLE INSERTS 328 MM



- Tray + 2 movable inserts
- (1) Tray with divider
- (2) Box for small cosmetics
- Color: white

Dimensions mm	Width	Depth	Height
	241	328	85

Code	Description	NLK
60NB1CA328VM	ORGANIZER SMALL WHITE 328 mm	11586

5 L WASTE BIN



- Swing lid
- Mounting bracket that can be attached to the cabinet door with either double-sided tape or screws
- Easy installation
- Capacity: 5 l
- Color: white

Dimensions mm	Width	Depth	Height
	174	176	229

Code	Description	NLK
60NB1ATANPAAP	WASTE BIN WHITE 174*176*229 mm	11586



COLORS & MATERIALS



PAINTED STOCK DOORS MATTE



BASIC R2 snow white matte



BASIC R2 taupe matte



INTEGRA snow white matte



SOFIA R2 snow white matte



SIRENA snow white



SIRENA grey 454

PAINTED STOCK DOORS HIGH GLOSS



CLASSIC snow white matte



INTEGRA snow white high gloss



SELMA R2 snow white high gloss

MICRO LAMINATE STOCK DOORS



FINGER PULL light oak



FINGER PULL grey oak

PET FOIL STOCK DOOR



PET CAPRI white matte




IRIS R3 white gloss

LUXE HIGH GLOSS MADE-TO-ORDER DOORS



* LUXE high gloss white



LUXE high gloss beige



LUXE high gloss grey



LUXE high gloss black



Luxe high gloss doors have two-tone edge banding

* Luxe white high gloss door is also available as a stock door in standard sizes.

MICRO LAMINATE MADE-TO-ORDER DOORS



BELLA
SYNCRON
white2
woodgrain



BELLA
SYNCRON
sand
woodgrain



BELLA
SYNCRON
anthracite
woodgrain




BELLA
SYNCRON
black
woodgrain



BELLA
SYNCRON
light ash



BELLA
SYNCRON
ash



BELLA
SYNCRON
dark ash



BELLA
SYNCRON
walnut



BELLA
SYNCRON
oak



BELLA
SYNCRON
goya



BELLA cafe

Note! When ordering BELLA doors, the grain direction must be specified and the maximum height checked. Vertical 2750 mm, horizontal 1220-2050 mm.

ZENIT SUPER MATTE MADE-TO-ORDER DOORS



ZENIT su-
per matte
white



ZENIT su-
per matte
arena



ZENIT su-
per matte
camel



ZENIT su-
per matte
mocca



ZENIT su-
per matte
cotto



ZENIT su-
per matte
agave



ZENIT su-
per matte
dark green



ZENIT su-
per matte
blue



ZENIT su-
per matte
anthracite



ZENIT su-
per matte
Eco Ice
Blue



ZENIT su-
per matte
Eco
Cashmere




ZENIT su-
per matte
Eco black


FENIX SUPER MATTE MADE-TO-ORDER DOORS



FENIX su-
per matte
0029 white



FENIX su-
per matte
0032 white



FENIX su-
per matte
0030 snow
white



FENIX su-
per matte
0725 light
grey



FENIX su-
per matte
0718 grey

PET FOIL MADE-TO-ORDER DOORS



PET 32YP
black matte




PET 32TA
anthracite
matte



PET 32UQ
grey matte



PET 32US
taupe matte




PET 32UE
Capri white
matte



PET 32UC
grey gloss




PET 32VE
polar white
gloss




PET 32UI
white gloss



NANO LAMINATE COUNTERTOPS 20 MM




FENIX super matte
0720 black



FENIX super matte
0718 grey




FENIX super matte
0725 light grey



FENIX super matte
0032 white


LAMINATE COUNTERTOPS 30 MM



0028
LUCIDA
White gloss



0211 ERRE
Light grey



3331 LUNA
Light concrete



0623 ERRE
Grey



1049
MOON
Black lava stone



11143 Beton
Cire



11561
Porcelain
01 Gold



12043
Bernini



12048
Velazquez
02



3294 LUNA
Copper




3305 LUNA
Brown slate



3324 MIKA
Grey stone



3331 LUNA
Light concrete



3340 MIKA
Grey lava stone




3342 LUNA
Light grey lava stone




3369 LUNA
Grey pine



3395
URBAN
Light cement




3396
URBAN
Sand cement



3398
URBAN
Grey cement



EIV341 L
Rustic oak




3445 KER
Lava marble



3493 KER
White marble



4490
FLATTING
Kelp (dead-wood)




4512 ALEVE
Dark oak



TN49004
Elm



509
FLATTING
Black flatting



5099
Concrete



5111 Dark
concrete



A242 C
White




EP-140-SM
Marmol
Versilia



EP-167-AR
Velazquez
01

AMERICA



Code	mm	Color
3299411046	3x352	wenge
3299412046	320	wenge
3299413046	192	wenge
3299414046	32	wenge

FOREST



Code	Ø mm	Color
3299011011	38	lacquered
3299011049	38	wenge



ALICANTE



Code	mm	Color
2585401600252	160	matte black
2585403200252	320	matte black
2585407680252	768	matte black
2585401600903	160	brass
2585403200903	320	brass
2585407680903	768	brass
2585401600911	160	silver
2585403200911	320	silver
2585407680911	768	silver

MARTE



Code	Ø mm	Color
10838B0252	30	matte black
10838B0903	30	brass
10838B35	30	nickered

MILANO



Code	mm	Color
3296884232	192	matte black
3296883232	320	matte black
3296884238	192	brushed nickel
3296883238	320	brushed nickel

MARBELLA



Code	mm	Color
8117501600252	160	matte black
8117503200252	320	matte black
8117501600903	160	brass
8117503200903	320	brass
8117501600911	160	silver
8117503200911	320	silver

NETTUNO



Code	mm	Color
8114601600252	160	matte black
8114601600503	160	titanium look
81146016034	160	nickered

SEVILLA




Code	mm	Color
8120301600252	160	matte black
8120303200252	320	matte black
8120301600903	160	brass
8120303200903	320	brass

IMPERO



Code	mm	Color
3296893232	160	matte black
3296893220	160	brushed brass
3296893238	160	brushed nickel

TONDO



Code	Ø mm	Color
3298891232	36	matte black
3298891220	36	brushed brass
3298891238	36	brushed nickel



CASA



Code	mm	Color
CHMBS1001	128	stainless steel look
CHMBS1002	192	stainless steel look
CHMBS1003	292	stainless steel look
CHMBS1004	392	stainless steel look
CHMBS1005	492	stainless steel look
CHMBS1006	592	stainless steel look
CHMBS1007	692	stainless steel look

CHIAVE



Code	mm	Color
EU1492ZPE0000003	160	stainless steel look
EU1492ZPE0000005	160	anthracite

AREA



Code	mm	Color
3528948RPP	64	chrome

TREVI



Code	mm	Color
EU32037M100	100	stainless steel look
EU32037M200	200	stainless steel look
EU32037W100	100	black
EU32037W200	200	black
EU32039078100	100	white
EU32039078200	200	white

MORO



Code	mm	Color
EU15191917160	160	black
EU15194B160	160	stainless steel look

PLUS



Code	mm	Color
3297032038	128	brushed nickel

DISC



Code	Ø mm	Color
3298341020	33	brushed brass
3298341032	33	black
3298341038	33	brushed nickel
3298341292	33	white

MINI



Code	mm	Color
3298171032	34	black
3298171292	34	white



FIRENZE



Code	mm	Color
81218B0000252	65	black
81218B0000903	65	brass
81218B0000911	65	silver

TIFO



Code	mm	Color
EU143112C160	160	champagne
EU143112C320	320	champagne

BASIC



Code	mm	Color
3296765032	128	black
3296764032	160	black
3296761032	320	black
3296765292	128	white
3296764292	160	white
3296761292	320	white
3296765038	128	brushed nickel
3296764038	160	brushed nickel
3296761038	320	brushed nickel
3296765250	128	brushed brass
3296763250	192	brushed brass
3296761250	320	brushed brass

GLOBO



Code	mm	Color
EU147112C160	160	champagne
EU14713005160	160	graphite

TETTO



Code	mm	Color
EU147212C	115	champagne
EU14723005	115	graphite

ERBA



Code	mm	Color
EU1291ZPE00001	64	chrome
EU1291ZPE00002	128	chrome
EU1291ZPE00003	160	chrome
EU1291ZPE00004	320	chrome
EU1291ZPE00009	64	black
EU1291ZPE000091	128	black
EU1291ZPE000092	160	black
EU1291ZPE000093	320	black
EU1291ZPE00005	64	white
EU1291ZPE00006	128	white
EU1291ZPE00007	160	white
EU1291ZPE00008	320	white



WASHBASIN FAUCET EUROSMART



- Washbasin faucet
- Type approved
- Flexible connection hoses
- Temperature limiter
- GROHE Water Saving - aerator 5.7 l/min
- Metal handle
- Retractable chain

Code	Description	NLK
23947002	GROHE WASHBASIN FAUCET EUROSMART	1104

WASHBASIN FAUCET BAUEDGE BIDET



- Washbasin faucet with bidet shower
- Type approved
- Flexible connection hoses
- Temperature limiter
- GROHE Water Saving - aerator 5.7 l/min
- Shower sets: hand shower with integrated diverter, shower wall bracket, shower hose

Code	Description	NLK
23757001	GROHE WASHBASIN FAUCET BAUEDGE BIDET	1104

WASHBASIN FAUCET EUROSMART BIDET



- Washbasin faucet with bidet shower
- Type approved
- Flexible connection hoses
- Temperature limiter
- GROHE Water Saving - aerator 5.0 l/min
- Shower sets: hand shower with integrated diverter, shower wall bracket, shower hose

Code	Description	NLK
231242433	GROHE WASHBASIN FAUCET EUROSMART BIDET MATTE BLACK	1104

WASHBASIN FAUCET EUROSMART BIDET + DISHWASHER VALVE



- Washbasin faucet with bidet shower and washing machine valve
- Type approved
- Flexible connection hoses
- Temperature limiter
- GROHE Water Saving - aerator 5.0 l/min
- Acoustic group 1

Code	Description	NLK
23950000	GROHE WASHBASIN FAUCET ES BIDET + DISHWASHER VALVE	1104



WASHBASIN FAUCET ESSENCE



Anthracite



Brushed brass

- Washbasin faucet
- Type approved
- Flexible connection hoses
- Temperature limiter
- GROHE Water Saving - aerator 5.7 l/min
- Single-hole installation
- Metal handle
- GROHE SilkMove 28 mm ceramic cartridge
- GROHE Long-Life finish
- GROHE AquaGuide adjustable aerator
- GROHE FastFixation Plus installation system

Code	Description	NLK
24232AL1	GROHE WASHBASIN FAUCET ESSENCE ANTHRACITE	1104
24232GN1	GROHE WASHBASIN FAUCET ESSENCE BRUSHED BRASS	1104

WASHBASIN FAUCET ESSENCE XL



Chrome



Anthracite



Brushed brass

- Washbasin faucet
- Type approved
- Flexible connection hoses
- Temperature limiter
- GROHE Water Saving 6.6 l/min flow limiter
- Single-hole installation
- Metal handle
- GROHE SilkMove 28 mm ceramic cartridge
- GROHE Long-Life finish
- GROHE AquaGuide adjustable aerator
- GROHE FastFixation Plus quick installation system
- Swivel cast spout with aerator and stop limiter

Code	Description	NLK
32901001	GROHE WASHBASIN FAUCET ESSENCE XL CHROME	1104
32901AL1	GROHE WASHBASIN FAUCET ESSENCE XL ANTHRACITE	1104
32901GN1	GROHE WASHBASIN FAUCET ESSENCE XL BRUSHED BRASS	1104



THERMOSTATIC FAUCETS

GROHTHERM 1000



- Thermostatic shower faucet
- Type approved
- Temperature limit (38 °C), optional 43°C temperature limiter
- Shower outlet 1/2" below
- Built-in non-return valve
- Dirt strainers
- Water Saving - water-saving feature
- Acoustic group 1

Code	Description	NLK
34760000	GROHE SHOWER THERMOSTAT GRT 1000	1105

GROHTHERM 1000 WITH SPOUT



- Thermostatic shower faucet with spout
- Type approved
- Temperature limit (38 °C), optional 43°C temperature limiter
- Shower outlet 1/2" below
- Built-in non-return valve
- Dirt strainers
- Water Saving - water-saving feature
- Acoustic group 1

Code	Description	NLK
34761000	GROHE SHOWER THERMOSTAT GRT 1000 SPOUT	1105

EUPHORIA 260 WITH BATH THERMOSTAT



- Head shower Euphoria 260
- Hand shower Euphoria 110 Massage
- Bath spout
- Separate diverter for hand shower
- Shower hose 1750 mm
- Temperature limit (38 °C), optional 43°C temperature limiter
- Water Saving - water-saving feature
- Acoustic group 1

Code	Description	NLK
26708001	RAIN SHOWER SYS. EUPHORIA 260 BATH	1105

TEMPESTA SHOWER SET WITH SOAP DISH



- Shower rail set with three spray patterns
- 600 mm shower rail
- 100 mm hand shower
- Shower hose 1750 mm
- Soap dish
- Water Saving - water-saving feature
- Acoustic group 1

Code	Description	NLK
27600001	SHOWER SET TEMPESTA RAIL	1105

EUPHORIA 310 SHOWER SYSTEM WITH THERMOSTAT



- Shower rail set with three spray patterns
- Horizontal swiveling 450 mm shower arm
- Head shower Rainshower Cosmopolitan 310
- Hand shower Euphoria 110 Massage
- Temperature limit (38 °C), optional 43°C temperature limiter
- DreamSpray technology ensures an even flow of water from all nozzles
- Stepless flow reduction
- SpeedClean anti-limescale system

Code	Description	NLK
26075AL0	GROHE EUPHORIA 310 SHOWER SYSTEM THM ANTHRACITE	1105
26075GN0	GROHE EUPHORIA 310 SHOWER SYSTEM THM BRUSHED BRASS	1105

TEMPESTA 250 RAIN SHOWER SET



- Shower rail set with two spray patterns
- Horizontal swiveling 390 mm shower arm
- Head shower Tempesta 250
- Hand shower Tempesta 110
- Shower hose 1750 mm
- Temperature limit (38 °C), optional 43°C temperature limiter
- DreamSpray technology ensures an even flow of water from all nozzles
- SpeedClean anti-limescale system

Code	Description	NLK
268332431	GROHE RAIN SHOWER SET TEMPESTA 250 MATTE BLACK	1105

RAPID SL INSTALLATION FRAME



- Wall-hung WC frame 113 cm
- WC flushing cistern 6-9 l (GD 2)
- Steel frame, powder-coated, self-supporting
- With Skate Air flush plate, alpine white, vertical installation
- Water Saving feature
- Sound insulation technology

Code	Description	NLK
38719001	RAPID SL WALL-HUNG WC	1106

BAU CERAMIC WALL-HUNG WC BOWL



- Wall-mounted
- Rimless bowl
- Softclose seat and cover
- Horizontal outlet
- Flush volume 3/6 l

Code	Description	NLK
39351000	BAU CERAMIC BOWL SOFTCLOSE	1106



ELECTRONIC WASHING MACHINE VALVE




- Battery-operated wireless remote control
- Type approved
- Electronic valve
- Battery-operated control box with IP 45 protection class
- Automatic shut-off 4h or 12h
- Maximum water temperature at inlet 40° C
- Cable length from valve to control box: 40 cm
- Battery life: 2-4 years
- Batteries and installation materials included in delivery

Code	Description	NLK
40402000	WASHING MACHINE VALVE ELECTRONIC	1105

GLASS SHOWER WALLS


SHOWER WALL GREY GLASS



- Size: 2000*700
- The basin in the picture is not included in the package

Code	Description	NLK
3527002000HL	SHOWER WALL 2000*700 GREY	11610

SHOWER WALL CLEAR GLASS



- Size: 2000*900
- The basin in the picture is not included in the package

Code	Description	NLK
3529002000KL	SHOWER WALL 2000*900 CLEAR	11610

FLUSH PLATE COSMOPOLITAN



Chrome



Brushed brass



Anthracite



Matte black

- GROHE Skate Arena Cosmopolitan flush plate.
- Dual flush
- For horizontal or vertical installation
- Compatible with Rapid SL and GD 2 cisterns
- Dimensions mm (h*w*d): 197*156*12

Code	Description	NLK
38732000	COSMOPOLITAN CHROME	1106
38732AL0	COSMOPOLITAN ANTHRACITE	1106
38732GN0	COSMOPOLITAN BRUSHED BRASS	1106
38732KF0	COSMOPOLITAN MATTE BLACK	1106

FLUSH PLATE AIR



- GROHE Skate Air Arena Cosmopolitan flush plate
- Dual flush
- For vertical installation
- Compatible with Rapid SL and GD 2 cisterns
- Dimensions mm (h*w*d): 197*156*18

Code	Description	NLK
38505KF0	AIR MATTE BLACK	1106

TOWEL HOOK ESSENTIALS



Chrome



Brushed brass



Anthracite

- Material: metal
- Concealed fastening
- GROHE LongLife finish
- Suitable for screwing (includes screws and dowels) or gluing
- Load capacity max. 5 kg. The specified load capacity is only valid for a slowly applied load
- Dimensions mm: Ø 54 mm, depth 45 mm

Code	Description	NLK
40364001	TOWEL HOOK ESSENTIALS CHROME	1106
40364AL1	TOWEL HOOK ESSENTIALS ANTHRACITE	1106
40364GN1	TOWEL HOOK ESSENTIALS BRUSHED BRASS	1106

TOWEL RAIL ESSENTIALS



Chrome



Anthracite



Brushed brass

- Material: metal
- 654 mm (hole spacing 600 mm)
- Concealed fastening
- GROHE LongLife finish
- Suitable for screwing (includes screws and dowels) or gluing
- Load capacity max. 10 kg. The specified load capacity is only valid for a slowly applied load.

Code	Description	NLK
40366001	TOWEL RAIL ESSENTIALS CHROME	1106
40366AL1	TOWEL RAIL ESSENTIALS ANTHRACITE	1106
40366GN1	TOWEL RAIL ESSENTIALS BRUSHED BRASS	1106

TOILET PAPER HOLDER ESSENTIALS



Chrome



Anthracite



Brushed brass

- Material: metal
- With cover
- Concealed fastening
- GROHE LongLife finish
- Suitable for screwing (includes screws and dowels) or gluing
- Load capacity: max. 5 kg. The specified load capacity is only valid for a slowly applied load.
- Dimensions mm (h*w*d): 119*167*44

Code	Description	NLK
40367001	TOILET PAPER HOLDER CHROME	1106
40367AL1	TOILET PAPER HOLDER ANTHRACITE	1106
40367GN1	TOILET PAPER HOLDER BRUSHED BRASS	1106



COMPACT LAMINATE FURNITURE

Compact laminate is a moisture-resistant material that is highly suitable for wet rooms. The material is white compact laminate with a black core.

THE COMPACT LAMINATE COLLECTION CONFIGURATIONS INCLUDE:

VANITY UNIT

- • Vanity unit frame and drawer fronts in moisture-resistant compact laminate. Frame height 566 mm and depth 366 mm
- • Hard Gel Coat basin Lomia or Tango. Basin depth 390 mm
- • 2 drawers
- • 2 handles
- • Drawer fronts and frame assembled. Drawer runners attached to frames

TALL CABINET

- • Frame and furniture door in moisture-resistant compact laminate. Frame height 1750 mm and depth 366 mm
- • 3 shelves
- • 1 handle
- • 3 Softclose hinges with mounting plates
- • Furniture door and frame assembled

MIRROR CABINETS

- • Frame in moisture-resistant compact laminate. Frame height 704 mm and depth 150 mm
- • 2 double-sided mirror doors
- • 2 Softclose hinges with mounting plates
- • 2 glass shelves with supports
- • Driver with socket
- • Delivered with frame assembled, mirror doors separate



WITH LOMIA BASIN



WIDTH: 500, 600, 800 MM
DEPTH: 390 MM

- Basin depth 140 mm, edge thickness 40 mm, chromed bottom plug

Code	Width	Description	NLK
LOKL5039	500	VANITY UNIT 50CM WHITE LOMIA	3008
LOKL6039	600	VANITY UNIT 60CM WHITE LOMIA	3008
LOKL8039	800	VANITY UNIT 80CM WHITE LOMIA	3008

WITH TANGO BASIN



WIDTH: 500, 600, 800 MM
DEPTH: 390 MM

- Basin depth 117 mm, edge thickness 15 mm, integrated bottom valve

Code	Width	Description	NLK
TGKL5039	500	VANITY UNIT 50CM WHITE TANGO	3008
TGKL6039	600	VANITY UNIT 60CM WHITE TANGO	3008
TGKL8039	800	VANITY UNIT 80CM WHITE TANGO	3008

Note! The faucets shown in the pictures are not included.



DRIVER WITH SOCKET



- • LED driver 12V / 30W
- • Socket with residual current device (RCD)
- • Easy to install; 4 screws 4x30 mm (in package)
- • Dimensions (W x D x H): 370 x 90 x 78 mm

GLASS SHELVES FOR MIRROR CABINET



- • Shelf thickness: 6 mm
- • Color: clear
- • Incl. 2 pcs shelves + 8 pcs glass shelf support
- • Packed in cardboard

MIRROR CABINET



MIRROR CABINET

Code	Width	Description	NLK
PKKL500	500	MIRROR CABINET 50CM MIRROR DOOR RIGHT	3010
PKKL50V	500	MIRROR CABINET 50CM MIRROR DOOR LEFT	3010
PKKL60	600	MIRROR CABINET 60CM WITH MIRROR DOOR	3010
PKKL80	800	MIRROR CABINET 80CM WITH MIRROR DOOR	3010

MIRROR CABINET WITH LED IIRIS LIGHT



LED IIRIS

- Power consumption 300 mm/5.5W
- Luminous flux 300 mm/313lm
- Light tone 4000K
- Color rendering index CRI 85
- Color chrome
- IP rating IP44
- Built-in driver
- Dimensions 300*125*33 mm

MIRROR CABINET WITH LIGHT

Code	Width	Description	NLK
PKKL50LEDIIRISO	500	MIRROR CABINET 50CM MIRROR DOOR RIGHT LED IIRIS	3010
PKKL50LEDIIRISV	500	MIRROR CABINET 50CM MIRROR DOOR LEFT LED IIRIS	3010
PKKL60LEDIIRIS	600	MIRROR CABINET 60CM WITH MIRROR DOOR LED IIRIS	3010
PKKL80LEDIIRIS	800	MIRROR CABINET 80CM WITH MIRROR DOOR LED IIRIS	3010

MIRROR CABINET WITH LED LIGHT CANOPY



LIGHT CANOPY LED LONDON

- Power consumption 500 mm/4.3W, 600 mm/5.2W, 800 mm/7.2W
- Light tone 4000K
- Light canopy depth 225 mm

MIRROR CABINET WITH LED LIGHT CANOPY

Code	Width	Description	NLK
PKKL50LEDO	500	MIRROR CABINET 50CM MIRROR DOOR RIGHT LED LIGHT CANOPY	3010
PKKL50LEDV	500	MIRROR CABINET 50CM MIRROR DOOR LEFT LED LIGHT CANOPY	3010
PKKL60LED	600	MIRROR CABINET 60CM WITH MIRROR DOOR LED LIGHT CANOPY	3010
PKKL80LED	800	MIRROR CABINET 80CM WITH MIRROR DOOR LED LIGHT CANOPY	3010



TALL CABINET

- • Frame made of moisture-resistant compact laminate
- • Doors with Softclose hinges
- • Includes 3 shelves
- • Frame height 1750 mm and depth 366 mm
- • Delivered assembled

Code	Width	Description	NLK
KKAKL4040O	400	TALL CABINET 40CM RIGHT	3012
KKAKL4040V	400	TALL CABINET 40CM LEFT	3012

ACCESSORIES

THE ACCESSORIES FOR COMPACT LAMINATE FURNITURE SHOWN IN THE PICTURE CAN BE FOUND ON THE BASIC COLLECTION ACCESSORIES PAGES:

- Organizers 253 mm page 30
- Waste bin 5 L page 31






ILLUMINATED MIRRORS & MIRROR CABINETS

LIGHTING ADDS THE FINISHING TOUCH TO YOUR BATHROOM'S ATMOSPHERE

Our selection includes stylish mirror products for both modern and more traditional tastes. Among our options, you will find illuminated mirrors equipped with the new patented GHOST technology, as well as beautiful mirror cabinets, mirrors, and lights for different areas of the home.

With the modular lighting system (MLS) included in the GHOST technology, the choice is simple: which lighting areas are activated, at what intensity, and at what Kelvin temperature. MLS saves energy: no light is wasted, and thanks to the Ghost technology, the unlit bands become invisible and do not affect the mirror's reflective surface.

ILLUMINATED MIRROR ASTRO



Unit	Height	Width	Depth
mm	650	600, 800, 1000	32

- Direct light mirror with GHOST technology
- Mirror thickness 5 mm
- Infrared ON/OFF sensor
- Color change and dimming function switch
- Safety film on the back
- Defogger function
- DynamicWhite 3000 - 6000K
- 220V
- CE, IP44

Code	Description	NLK
ABR65603001G	ILLUMINATED MIRROR ASTRO 650X600 mm 3000-6000K IP44	11556
ABR65803002G	ILLUMINATED MIRROR ASTRO 650X800 mm 3000-6000K IP44	11556
ABR651003003G	ILLUMINATED MIRROR ASTRO 650X1000 mm 3000-6000K IP44	11556

ILLUMINATED MIRROR DECA



Unit	Height	Width	Depth
mm	800	800	60

- Aluminum frame
- Illuminated frame with GHOST FRAME technology
- Touch switch ON/OFF sensor and color change
- Mirror thickness 5 mm
- Safety film on the back
- Defogger function
- DynamicWhite color temperature 3000-6000K
- 220V
- CE, IP44

Code	Description	NLK
DBT0080847G	ILLUMINATED MIRROR DECA BLACK 800 mm 3000-6000K IP44	11556

ILLUMINATED MIRROR FENICE



Unit	Height	Width	Depth
mm	800	600, 800, 1000	120

- Black aluminum frame
- Three illuminated sides with GHOST technology
- Shelf on the bottom side
- Illuminated ON/OFF touch sensor and color change switch
- Mirror thickness 5 mm
- Safety film on the back
- Defogger function
- DualWhite color temperature 4000 or 6000K
- 220V
- CE, IP44

Code	Description	NLK
FBR80601270S	ILLUMINATED MIRROR FENICE BLACK 800X600 mm 4000/6000K IP44	11556
FBR80801271S	ILLUMINATED MIRROR FENICE BLACK 800X800 mm 4000/6000K IP44	11556
FBR801001272S	ILLUMINATED MIRROR FENICE BLACK 800X1000 mm 4000/6000K IP44	11556

ILLUMINATED MIRROR GALAXY



Unit	Height	Width	Depth
mm	600/800	600/800	32

- 360° ambient LED lighting
- Illuminated ON/OFF touch sensor switch
- Mirror thickness 5 mm
- Safety film on the back
- LED color temperature 4000K
- 220V
- CE, IP44

Code	Description	NLK
GBT00601716S	ILLUMINATED MIRROR ROUND GALAXY AL 600 mm 4000K IP44	11556
GBT00801717S	ILLUMINATED MIRROR ROUND GALAXY AL 800 mm 4000K IP44	11556

ILLUMINATED MIRROR OCEANO ROUND




Unit	Height	Width	Depth
mm	600/1000	600/1000	115

- Round
- Direct light mirror with GHOST MIRROR technology
- Mirror thickness 5 mm
- Illuminated touch ON/OFF sensor
- Color change and dimming function switch
- Safety film on the back
- Defogger function
- DualWhite color temperature 4000 or 6000K
- 220V
- CE, IP44

Code	Description	NLK
OBT00802066	ILLUMINATED MIRROR ROUND OCEANO WITH SHELF 800 mm 4000/6000K IP44	11556
OBT01002067G	ILLUMINATED MIRROR ROUND OCEANO WITH SHELF 1000 mm 4000/6000K IP44	11556

ILLUMINATED MIRROR OCEANO



Unit	Height	Width	Depth
mm	650	600, 800, 1000	35

- Direct light mirror with GHOST technology
- Separate lighting for light bands
- Illuminated ON/OFF touch sensor
- Color change and dimming function switch
- Mirror thickness 5 mm
- Safety film on the back
- Defogger function
- DualWhite color temperature 4000 or 6000K
- 220V
- CE, IP44

Code	Description	NLK
OBR65602051G	ILLUMINATED MIRROR OCEANO 650X600 mm 4000/6000K IP44	11556
OBR65802052G	ILLUMINATED MIRROR OCEANO 650X800 mm 4000/6000K IP44	11556
OBR651002053G	ILLUMINATED MIRROR OCEANO 650X1000 mm 4000/6000K IP44	11556

ILLUMINATED MIRROR STARLIGHT



Unit	Height	Width	Depth
mm	900	450	32

- 360° ambient light and direct light, illuminated thin plexiglass edge
- Illuminated ON/OFF touch sensor and color change switch
- Mirror thickness 5 mm
- Safety film on the back
- Defogger function
- DualWhite color temperature 4000 or 6000K
- 220V
- CE, IP44

Code	Description	NLK
SBO9045125S	ILLUMINATED MIRROR STARLIGHT 900X450 mm 4000/6000K IP44	11556

ILLUMINATED MIRROR XO




Unit	Height	Width	Depth
mm	600/800/1200	600/800/1200	32

- Thin plexiglass edge illuminated with LED
- Direct light with GHOST technology
- Infrared ON/OFF sensor
- Color change and dimming function switch
- Mirror thickness 5 mm
- Safety film
- Defogger function
- DynamicWhite color temperature 3000 - 6000K
- 220V
- CE, IP44

Code	Description	NLK
XBT00601320S	ILLUMINATED MIRROR ROUND XO 600 mm 3000-6000K IP44	11556
XBT00801321S	ILLUMINATED MIRROR ROUND XO 800 mm 3000-6000K IP44	11556
XBT001201322S	ILLUMINATED MIRROR ROUND XO 1200 mm 3000-6000K IP44	11556

ILLUMINATED MIRRORS

ILLUMINATED MIRROR MIRRO 1




Unit	Height	Width
mm	700	500, 600, 800, 900, 1000, 1200

- 3 pcs LED lights
- IP44
- Light tone 4000K
- Socket
- Switch
- Residual current device (RCD) as an accessory

Code	Description	NLK
365VALP170050	ILLUMINATED MIRROR MIRRO 1 700*500	11553
365VALP170060	ILLUMINATED MIRROR MIRRO 1 700*600	11553
365VALP170080	ILLUMINATED MIRROR MIRRO 1 700*800	11553
365VALP170090	ILLUMINATED MIRROR MIRRO 1 700*900	11553
365VALP17009100	ILLUMINATED MIRROR MIRRO 1 700*1000	11553
365VALP17009120	ILLUMINATED MIRROR MIRRO 1 700*1200	11553

ILLUMINATED MIRROR MIRRO 2



Unit	Height	Width
mm	650	600, 800, 1000

- 4 pcs LED lights
- IP44
- Light tone 4000K
- Residual current device (RCD) as an accessory

Code	Description	NLK
365VALP270060	ILLUMINATED MIRROR MIRRO 2 650*600	11553
365VALP270080	ILLUMINATED MIRROR MIRRO 2 650*800	11553
365VALP27009100	ILLUMINATED MIRROR MIRRO 2 650*1000	11553

ILLUMINATED MIRROR MIRRO 3



Unit	Height	Width
mm	650	600, 800, 1000

- 4 pcs LED lights
- IP44
- Light tone 6500K
- Residual current device (RCD) as an accessory

Code	Description	NLK
352VALP365060	ILLUMINATED MIRROR MIRRO 3 650*600	11553
352VALP365080	ILLUMINATED MIRROR MIRRO 3 650*800	11553
352VALP3650100	ILLUMINATED MIRROR MIRRO 3 650*1000	11553

RESIDUAL CURRENT DEVICE (RCD) FOR ILLUMINATED MIRROR



Code	Description	NLK
365VIKAVS	RESIDUAL CURRENT DEVICE FOR ILLUMINATED MIRRORS	11553



ILLUMINATED MIRROR CABINET GIOVE



Dimensions	Height	Width	Depth
mm	800	800	132

- Round mirror cabinet
- Metal frame painted black on the outside and white on the inside
- 360° ambient LED lighting
- Double-sided mirror doors, soft-close hinges
- Push-to-open doors
- Safety film on the back
- Fixed metal shelves
- LED color temperature 3000K
- 220V
- CE, IP44

Code	Description	NLK
VPGL20080121307S	ILLUMINATED MIRROR CABINET GIOVE 800 mm 3000K IP44	11556

ILLUMINATED MIRROR CABINET ZENIT GH



Dimensions	Height	Width	Depth
mm	700	500, 700	135

- Mirror cabinet
- Black aluminum frame with rounded sides
- Direct light with GHOST technology
- Double-sided mirror doors, soft-close hinges
- Adjustable shelves in tempered glass
- Infrared ON/OFF sensor switch
- Shaver socket with illuminated switch
- LED color temperature 4000K
- Socket
- 220V
- CE, IP44

Code	Description	NLK
VPZCL17050145106	ILLUMINATED MIRROR CABINET ZENIT GH 700X500 mm 4000K IP44	11556
VPZCL27070155107	ILLUMINATED MIRROR CABINET ZENIT GH 700X700 mm 4000K IP44	11556

OMMA
MONTERING