



Cabinet Doors

OMMA
MONTERING

Sustainable Development

Ecological values and sustainable development have been specifically taken into account in the CC & Green collection products. More recycled materials have been used in the products.

Water-based paints and wood materials are sourced from responsibly managed forests. The collection's products have lower formaldehyde emissions.

You can get everything you need environmentally friendly from one single place.



Rakennustieto (The Building Information Foundation) has granted the M1 classification to the following cabinet doors:

Painted doors BASIC R2, CLASSIC, INTEGRA, SELMA R2, SIRENA, SOFIA R2

Slab doors BELLA BLANCA, BELLA SYNCRON, FINGER PULL, LUXE KORKEAKIILTO, PET CAPRI, SYNCRON, ZENIT SUPERMATTI

An M1-classified product is verified to be low-emission and supports good indoor air quality.




WATER BASED door coatings utilize water-based, environmentally friendly paint in both the primer and finish. This has resulted in a truly low VOC emission level for the coatings.




SIRENA snow white

PAINTED DOORS




BASIC R2

Snow white matte
Thickness: 16 mm
Nik: 15103 standard dimensions
Cover Panels: 15001



BASIC R2

Taupe matte
Thickness: 16 mm
Nik: 15104 standard dimensions
Cover Panels: 15001



CLASSIC

Snow white matte
Thickness: 19 mm
Nik: 15102 standard dimensions
Cover Panels: 15001



INTEGRA

Snow white matte
Thickness: 19 mm
Nik: 15112 standard dimensions
Cover Panels: 15001



SOFIA R2

Snow white matte
Thickness: 19 mm
Nik: 15110 standard dimensions
Cover Panels: 15001

PAINTED HIGH GLOSS DOORS




SIRENA

Snow white
Thickness: 19 mm
Nik: 15105 standard dimensions
Cover Panels: 15001



SIRENA

Grey 454
Thickness: 19 mm
Nik: 15106 standard dimensions
Cover Panels: 15001



INTEGRA

Snow white high gloss
Thickness: 19 mm
Nik: 15113 standard dimensions
Cover Panels: 15001



SELMA R2

Snow white high gloss
Thickness: 19 mm
Nik: 15111 standard dimensions
Cover Panels: 15001



BELLA BLANCA

White matte
Thickness: 18 mm
Nik: 15147 standard dimensions
Cover Panels: 15005

PET FOIL DOORS



PET CAPRI

White matte 32UE
Thickness: 19 mm
Nik: 15135 standard dimensions
Cover Panels: 15002

MICRO LAMINATE DOORS



FINGER PULL

Light oak
Thickness: 22 mm
Nik: 15114 standard dimensions
Cover Panels: 15005



FINGER PULL

Grey oak
Thickness: 22 mm
Nik: 15115 standard dimensions
Cover Panels: 15005

LUXE HIGH GLOSS DOORS



LUXE

White high gloss
Thickness: 18 mm
Nik: 15140 standard dimensions
Cover Panels: 15004

FOIL DOORS



IIRIS R3

White gloss
Thickness: 18 mm
Nik: 15118 standard dimensions
Cover Panels: 15002

ALUMINUM DOORS



FBS3046/ETCHED GLASS

Aluminum
Thickness: 20 mm
Nik: 15176



ELAS

Black semi-matte
Thickness: 20 mm
Nik: 15182



The delivery time for aluminum doors and glazed stock doors is 3 working days from the order.

STOCK GLASSES



CLEAR GLASS



ETCHED GLASS



GREY GLASS



BRONZE GLASS



BLACK GLASS



FLUTED GLASS



CLEAR MIRROR



GRID LEADED GLASS



DIAMOND LEADED GLASS



BASIC R2 taupe, fluted glass



BELLA Synchron dark ash

BELLA SYNCRON MICRO LAMINATE



Door thickness	18 mm
Core	18 mm particle board E-1
Surface	MEL
Backing	MEL with surface pattern
Edges	1.00 mm ABS edge band matching the door surface color
Gluing	PUR adhesive
Delivery time	Standard dimensions + custom dimensions approx. 15 working days
Nik (Pg)	15702 standard dimensions, 157092 custom dimensions, 0904 edge bands



Bella Synchron White woodgrain



Bella Synchron Sand woodgrain



Bella Synchron Anthracite woodgrain



Bella Synchron Black woodgrain



Bella Synchron Light ash



Bella Synchron Ash



Bella Synchron Dark ash



Bella Synchron Walnut



Bella Synchron Oak



Bella Synchron Goya



Bella Cafe

NOTE! The grain direction must be specified when ordering doors.

Bella Synchron: The grain direction of the pattern on the doors is vertical by default (max. door height 2730 mm), also available with horizontal pattern upon request. If the grain direction is turned horizontally, the maximum door height is 1214 mm.

Bella Cafe: The grain direction on the doors is vertical and the surface pattern is horizontal. The maximum door height is 2500 mm.

SYNCRON MICRO LAMINATE



Door thickness	22 mm
Core	22 mm particle board E-1
Surface	MEL
Backing	Matching the surface color
Edges	1 mm ABS edge band matching the surface color
Gluing	PUR adhesive
Delivery time	Standard dimensions + custom dimensions approx. 15 working days
Nik (Pg)	15638 standard dimensions, 15639 custom dimensions, 15640 board blanks, 15641 edge bands



Light oak



Grey oak

NOTE! The grain direction must be specified when ordering doors.

Synchron micro laminate door colors are the same as Finger Pull stock doors. The grain direction of the pattern on the doors is vertical by default (max. door height 2730 mm). If the grain direction is turned horizontally, the maximum door height is 1214 mm.



FINGER PULL grey oak
SYNCRON light oak

PET-COATED DOORS



Door thickness	18.3 mm
Core	18 mm MDF E-1
Surface	PET
Backing	Black & anthracite → same as the surface pattern MEL. Other colors → White MEL
Edges	1 mm ABS edge band matching the surface color
Gluing	PUR adhesive
Gloss level	Matte 5, High gloss 95
Delivery time	Standard dimensions + custom dimensions approx. 15 working days
Nik (Pg)	15540 standard dimensions, 15541 custom dimensions, 15545 board blanks, 15546 edge bands



32UC Grey High gloss



32VE Polar White High gloss



32UI White High gloss



32YP Black Matte



32TA Anthracite Matte



32UQ Grey Matte



32US Taupe Matte




32UE Capri 19 mm White Matte





PET anthracite matte

ZENIT & ZENIT ECO SUPER MATTE



Door thickness	19 mm
Core	ZENIT SM → 18 mm MDF board E-1 ZENIT ECO SM → 18 mm recycled particle board
Surface	UV lacquer
Backing	MEL matching the surface pattern
Edges	1 mm ABS edge band matching the surface color
Gluing	PUR adhesive
Gloss level	5
Delivery time	Standard dimensions + custom dimensions approx. 15 working days
NIK	15620 standard dimensions, 15629 custom dimensions, 15630 board blanks, 15631 edge bands

ZENIT SUPER MATTE



White super matte



Arena super matte



Camel super matte



Mocca super matte



Cotto super matte



Agave super matte



Dark green super matte



Blue super matte



Anthracite super matte

ZENIT ECO SUPER MATTE



Ice Blue Eco super matte



Cashmere Eco super matte



Black Eco super matte

LUXE HIGH GLOSS

Door thickness	19 mm
Core	18 mm MDF board, E-1
Surface	UV lacquer
Backing	MEL matching the surface pattern
Edges	Two-tone edge band on high gloss doors, 1 mm solid color ABS edge band on cover panels
Gluing	PUR adhesive
Gloss level	95
Delivery time	Standard dimensions + custom dimensions approx. 15 working days
NIK	15601 beige standard dimensions & cover panels, 156092 beige custom dimensions 15602 grey standard dimensions & cover panels, 156093 grey custom dimensions 15603 black standard dimensions & cover panels, 156094 black custom dimensions



White high gloss



Beige high gloss



Grey high gloss



Black high gloss



BRILLO HIGH GLOSS LACQUERED



Door thickness	19 mm
Core	18 mm MDF board, E-1
Surface	MEL high gloss lacquered (polyurethane lacquer)
Backing	White MEL
Edges	1 mm glossy ABS edge band matching the surface color
Gloss level	95
Delivery time	Standard dimensions + custom dimensions approx. 15 working days
Nik	15550 standard dimensions, 155501 custom dimensions



Pearl grey




Quartz





FENIX NTM 0032 white
super matte

FENIX NTM SUPER MATTE LAMINATE



Door thickness	20 mm
Core	18 mm particle board, E-1
Surface	0.9 mm laminate
Backing	0.7 mm laminate matching the surface color
Edges	1 mm ABS edge band matching the surface color
Gluing	PUR adhesive
Gloss level	5
Delivery time	Standard dimensions + custom dimensions approx. 15 working days
NIK	15520 standard dimensions, 155201 custom dimensions, 15521 board blanks, 15522 edge bands



0029 White



0030 Snow white



0032 White



0718 Grey



0725 Light grey



0720 Black

POSTFORMING LAMINATE R3



Door thickness	18 mm
Core	18 mm particle board, E-1
Surface	0.5 mm laminate
Backing	0.5 mm laminate matching the surface color
Edges	Ends ABS edge band
Edge profile	R=3 mm
Delivery time	Standard dimensions + custom dimensions approx. 10 working days
NIK	15501 grey 2013NC, 15502 white N70QZ, 15500 laminate strips



Grey 2013NC



White N70QZ

Also available as blanks.
Blank sizes: 4200 * 295 mm
4200 * 395 mm
4200 * 495 mm
4200 * 595 mm
4200 * 795 mm

SLAB DOOR EDGE BANDS

MADE-TO-ORDER COLLECTION

OMMA
MONTERING

You can specify the desired edge band for the slab doors in our made-to-order collection. By default, the edge band is the same color as the door, but alternatively, you can choose any other color or pattern from the edge bands in our slab door collection.

Door models: *Bella, Brillo, Fenix, **Luxe high gloss, PET, Sincron, Zenit

* Excluding Bella Blanca

** Two-tone edge band as standard

ABS EDGE BANDS



Bella Synchron White2



Bella Synchron Sand



Bella Synchron Anthracite



Bella Synchron Black



Bella Synchron Walnut



Bella Synchron Light ash



Bella Synchron Ash



Bella Synchron Dark ash



Bella Synchron Oak



Bella Synchron Goya



Bella Cafe



Synchron Light oak



Synchron Grey oak




Brillo Pearl grey



Brillo Quartz



Fenix 0029 White



Fenix 0030 Snow white



Fenix 0032 White



Fenix 0718 Grey



Fenix 0725 Light grey



Fenix 0720 Black



Luxe White high gloss



Luxe Beige high gloss



Luxe Grey high gloss



Luxe Black high gloss



Zenit White sm



Zenit Arena sm



Zenit Camel sm



Zenit Mocca sm



Zenit Cotto sm



Zenit Agave sm



Zenit Dark green sm



Zenit Blue sm



Zenit Anthracite sm



Zenit Ice Blue Eco sm




Zenit Cashmere Eco sm




Zenit Black Eco sm



PET 32UC Grey gloss



PET 32VE Polar white gloss



PET 32UI White gloss



PET 32YP Black matte



PET 32TA Anthracite matte



PET 32UQ Grey matte



PET 32US Taupe matte



PET 32UE White matte



SLAB DOORS WITH GLASS CUTOUTS

Door models:	Brillo, Fenix, Luxe high gloss, PET, Synchron, Zenit, Bella (Excluding Bella Blanca)
Standard dimensions:	height 278 mm - width 396-596 mm - height 350, 445, 703, 988 mm - width 296-596 mm
Custom dimensions:	height 279-1196 mm - width 297-1196 mm
Glass cutout dimension:	Measured from the back of the door, the outer dimension of the door is -126 mm (from width and height). Note the working allowance required for the glass (approx. -2 mm).
Delivery time:	Standard dimensions + custom dimensions approx. 15 working days



Clear glass



Etched glass



Grey glass



Bronze glass



Black glass



Fluted glass



Clear mirror



GRID leded glass



DIAMOND leded glass

BELLA BLANCA MELAMINE



Door thickness	18 mm
Core	18 mm particle board
Backing	MEL matching the surface color
Edges	1 mm ABS edge band matching the surface color
Color	White matte RAL9016, NCS S 0500-N
Delivery time	Standard dimensions + custom dimensions approx. 15 working days
NIK	157093 custom dimensions



BASIC R2

Door thickness: 16 mm

Core: 16 mm MDF board

Backing: White mel

Edge profile: R = 2 mm

Only available in custom dimensions in stock colors snow white matte and taupe matte.

INTEGRA, CLASSIC, SELMA & SOFIA

Door thickness: 19 mm

Core: 19 mm MDF board

Backing: Painted

Edge profile: R = 2 mm

Delivery time: Matte doors: 20 working days -
Glossy doors: 25 working days

SIRENA

Door thickness: 19 mm

Core: 19 mm MDF board

Backing: Painted

Edge profile: R = 2 mm

Frame: 65 mm



BASIC R2 SNOW WHITE



BASIC R2 TAUPE



INTEGRA MATTE



SOFIA R2 MATTE




SIRENA MATTE



CLASSIC MATTE



INTEGRA GLOSS



SELMA R2 GLOSS



SIRENA GLOSS



CLASSIC GLOSS



INTEGRA
snow white matte



Rakennustieto (The Building Information Foundation) has granted an M1 classification to our painted cabinet doors (BASIC R2, CLASSIC, INTEGRA, SELMA R2, SIRENA, SOFIA R2). An M1-classified product is verified to be low-emission and supports good indoor air quality.

STANDARD COLORS



Snow white



Latte



Sand



Mocca



Light grey



Grey 454



Grey



Anthracite



Black



Light blue



Blue



Midnight blue




Green



Dark green



Yellow



Red

INTEGRA MATTE

NLK 15260 Standard colors standard dimensions HR 7

NLK 15261 Standard colors custom dimensions HR 7

NLK 15262 White matte custom dimensions HR 6

NLK 15235 Painted cover panel standard colors matte

SOFIA R2

NLK 15240 Standard colors standard dimensions HR 3

NLK 15241 Standard colors custom dimensions HR 3

NLK 15242 White matte custom dimensions HR 2

NLK 15235 Painted cover panel standard colors matte

SIRENA MATTE

NLK 15280 Standard colors standard dimensions HR 12

NLK 15281 Standard colors custom dimensions HR 12

NLK 15282 White matte custom dimensions HR 10

CLASSIC MATTE

NLK 15300 White matte custom dimensions HR 14

NLK 15301 Standard colors standard dimensions HR 15

NLK 15302 Standard colors custom dimensions HR 15

NLK 15235 Painted cover panel standard colors matte

BASIC R2

NLK 15236 White matte custom dimensions HR 1

INTEGRA GLOSS

NLK 15270 Standard colors standard dimensions HR 9

NLK 15271 Standard colors custom dimensions HR 9

NLK 15272 White gloss custom dimensions HR 8

NLK 15235 Painted cover panel standard colors gloss

SELMA R2 GLOSS

NLK 15250 Standard colors standard dimensions HR 5

NLK 15251 Standard colors custom dimensions HR 5

NLK 15252 White gloss custom dimensions HR 4

NLK 15235 Painted cover panel standard colors gloss

SIRENA GLOSS

NLK 15283 Standard colors standard dimensions HR 13

NLK 15284 Standard colors custom dimensions HR 13

NLK 15292 Grey 454 custom dimensions HR 11

CLASSIC GLOSS

NLK 15303 Standard colors gloss standard dimensions HR 16

NLK 15304 Standard colors gloss custom dimensions HR 16

NLK 15235 Painted cover panel standard colors gloss

Colors available in matte and glossy finishes

OMMA
MONTERING