



Cabinet Doors

OMMA
MONTERING

Sustainable Development

The products in the CC & Green collection place special emphasis on ecological values and sustainable development. A larger proportion of recycled material has been used in the products.

Water-based paints and wood materials are sourced from responsibly managed forests. The products in the collection have lower formaldehyde emissions.

You can get everything you need in an eco-friendly way from one single place.



Rakennustieto has granted M1 classification to the following cabinet doors:

Painted doors BASIC R2, CLASSIC, INTEGRA, SELMA R2, SIRENA, SOFIA R2

Board doors BELLA BLANCA, BELLA SYNCRON, FINGER PULL, LUXE HIGH-GLOSS, PET CAPRI, SYNCRON, ZENIT SUPERMATT

An M1-classified product is certified to have low emissions and promotes good indoor air quality.



WATER-BASED paints have been used for the priming and surface treatment of the doors. The use of water-based, eco-friendly paints results in exceptionally low VOC emissions.



SIRENA pure white

PAINTED DOORS



BASIC R2

Pure white matte
Thickness: 16 mm
Pg: 15103 standard dimensions
Side panels: 15001



BASIC R2

Taupe matte
Thickness: 16 mm
Pg: 15104 standard dimensions
Side panels: 15001



CLASSIC

Pure white matte
Thickness: 19 mm
Pg: 15102 standard dimensions
Side panels: 15001



INTEGRA

Pure white matte
Thickness: 19 mm
Pg: 15112 standard dimensions
Side panels: 15001



SOFIA R2

Pure white matte
Thickness: 19 mm
Pg: 15110 standard dimensions
Side panels: 15001

PAINTED HIGH-GLOSS DOORS



SIRENA

Snow white
Thickness: 19 mm
Pg: 15105 standard dimensions
Side panels: 15001



SIRENA

Grey 454
Thickness: 19 mm
Pg: 15106 standard dimensions
Side panels: 15001



INTEGRA

Snow white high-gloss
Thickness: 19 mm
Pg: 15113 standard dimensions
Side panels: 15001



SELMA R2

Snow white high-gloss
Thickness: 19 mm
Pg: 15111 standard dimensions
Side panels: 15001



BELLA BLANCA

White matte
Thickness: 18 mm
Pg: 15147 standard dimensions
Side panels: 15005

PET-SURFACED DOORS



PET CAPRI

White matte 32UE
Thickness: 19 mm
Pg: 15135 standard dimensions
Side panels: 15002

MICROLAMINATE DOORS



FINGER PULL

Light oak
Thickness: 22 mm
Pg: 15114 standard dimensions
Side panels: 15005



FINGER PULL

Grey oak
Thickness: 22 mm
Pg: 15115 standard dimensions
Side panels: 15005

LUXE HIGH-GLOSS DOORS



LUXE

White high-gloss
Thickness: 18 mm
Pg: 15140 standard dimensions
Side panels: 15004

FOIL DOORS



IIRIS R3

White high-gloss
Thickness: 18 mm
Pg: 15118 standard dimensions
Side panels: 15002

ALUMINUM DOORS



FBS3046/ETCHED GLASS

Aluminum
Thickness: 20 mm
Pg: 15176



ELAS

Black semi-matte
Thickness: 20 mm
Pg: 15182



Delivery time for aluminum frame doors and glazed stock doors is 3 working days from order.

GLASS OPTIONS



CLEAR GLASS



ETCHED GLASS



GREY GLASS



BRONZE GLASS



BLACK GLASS



STRIPED GLASS



CLEAR MIRROR



GRID LEADED GLASS



DIAMOND LEADED GLASS



BASIC R2 Taupe, Striped glass



BELLA Synchron dark ash



BELLA SYNCRON MICROLAMINATE

Door thickness	18 mm
Core	18 mm chipboard, E-1
Surface	MEL
Back	Same as surface pattern in MEL
Edge banding	Surface-colored 1 mm ABS-band
Glue	PUR-glue
Delivery time	Standard dimensions + special dimensions approx. 15 working days
Price Group (Pg)	15702 standard dimensions, 157092 special dimensions, 0904 edging



Bella Synchron White Wood Texture



Bella Synchron Sand Wood Texture



Bella Synchron Anthracite Wood Texture



Bella Synchron Black Wood Texture



Bella Synchron Light Ash



Bella Synchron Ash



Bella Synchron Dark Ash



Bella Synchron Walnut



Bella Synchron Oak



Bella Synchron Goya



Bella Cafe

NOTE! When ordering doors, specify the grain direction.

Bella Synchron: The standard pattern direction on doors is vertical (max door height 2730 mm), but horizontal pattern is available on request. If grain direction is rotated horizontally, max door height is 1214mm.

Bella Cafe: Grain direction on doors is vertical and surface pattern is horizontal. Max height on doors is 2500 mm.



SYNCRON MICROLAMINATE

Door thickness	22 mm
Core	22 mm chipboard, E-1
Surface	MEL
Back	Same as surface pattern in MEL
Edge banding	Surface-colored 1 mm ABS-band
Glue	PUR-glue
Delivery time	Standard dimensions + special dimensions approx. 15 working days
Price Group (Pg)	15638 standard dimensions, 15639 special dimensions, 15640 boards, 15641 edging



Light Oak



Grey Oak

NOTE! When ordering doors, specify the grain direction.

The colors are the same as in Finger Pull stock doors. Grain direction is vertical (max 2730 mm). For horizontal direction, max height is 1214 mm.



FINGER PULL Grey Oak
SYNCRON Light oak



PET-SURFACED DOORS

Door thickness	18.3 mm
Core	18 mm MDF E-1
Surface	PET
Back	Black & anthracite → same as surface pattern in MEL Other colors → White MEL
Edge banding	Surface-colored 1 mm ABS-band
Glue	PUR-glue
Gloss level	Matte 5, High-gloss 95
Delivery time	Standard dimensions + special dimensions approx. 15 working days
Price Group (Pg)	15540 standard dimensions, 15541 special dimensions, 15545 boards, 15546 edging



32UC Grey High-gloss



32VE Polar White High-gloss



32UI White High-gloss



32YP Black Matte



32TA Anthracite Matte



32UQ Grey Matte



32US Taupe Matte



32UE Capri 19 mm White Matte





Zenit Supermatt Blue



ZENIT & ZENIT ECO SUPERMATT

Door thickness	19 mm
Core	Zenit SM → 18 mm MDF-board E-1 Zenit ECHO SM → 18 mm recycled chipboard
Surface	UV-lacquered
Back	Same as surface pattern in MEL
Edge banding	Surface-colored 1 mm ABS-band
Glue	PUR-glue
Gloss level	5
Delivery time	Standard dimensions + special dimensions approx. 15 working days
Price Group (Pg)	15620 standard dimensions, 15629 special dimensions, 15630 boards, 15631 edging

ZENIT SUPERMATT




White Supermatt



Arena Supermatt



Camel Supermatt



Mocca Supermatt



Cotto Supermatt



Agave Supermatt



Dark Green Supermatt



Blue Supermatt



Anthracite Supermatt

ZENIT ECO SUPERMATT



Ice Blue Eco Supermatt



Cashmere Eco Supermatt



Black Eco Supermatt



LUXE HIGH-GLOSS

Door thickness	19 mm
Core	18 mm MDF-board, E-1
Surface	UV-lacquered
Back	Same as surface pattern in MEL
Edge banding	High-gloss Doors → 2-colored edge band. Cover panels → surface-colored 1 mm ABS-band.
Glue	PUR-glue
Gloss level	95
Delivery time	Standard dimensions + special dimensions approx. 15 working days
Price Group (Pg)	15601 beige standard dimensions & cover panels, 156092 beige special dimensions 15602 grey standard dimensions & cover panels, 156093 grey special dimensions 15603 black standard dimensions & cover panels, 156094 black special dimensions



White High-gloss



Beige High-gloss




Grey High-gloss



Black High-gloss





BRILLO HIGH-GLOSS LACQUERED DOORS

Door thickness	19 mm
Core	18 mm MDF-board, E-1
Surface	MEL high-gloss lacquered
Back	White MEL
Edge banding	Surface-colored 1 mm ABS-band
Gloss level	95
Delivery time	Standard dimensions + special dimensions approx. 15 working days
Price Group (Pg)	15550 standard dimensions, 155501 special dimensions



Pearl Grey




Quartz





FENIX NTM 0032 White
Supermatt



FENIX NTM SUPERMATT LAMINATE

Door thickness	20 mm
Core	18 mm chipboard, E-1
Surface	0.9 mm laminate
Back	Surface-colored 0.7 mm laminate
Edge banding	Surface-colored 1 mm ABS-band
Glue	PUR-glue
Gloss level	5
Delivery time	Standard dimensions + special dimensions approx. 15 working days
Price Group (Pg)	15520 standard dimensions, 155201 special dimensions, 15521 sheets, 15522 edge bands



0029 White



0030 Snow White



0032 White



0718 Grey



0725 Light Grey



POSTFORMED LAMINATE R3

Door thickness	18 mm
Core	18 mm chipboard, E-1
Surface	0.5 mm laminate
Back	Surface-colored 0.5 mm laminate
Edge banding	Surface-colored ABS-band
Edge shape	R=3 mm
Delivery time	Standard dimensions + special dimensions approx. 10 working days
Price Group (Pg)	15501 Grey 2013NC, 15502 White N70QZ, 15500 Sheet material



Grey 2013NC



White N70QZ

Available sheet formats

Size: 4200 * 295 mm
 4200 * 395 mm
 4200 * 495 mm
 4200 * 595 mm
 4200 * 795 mm

It is possible to specify the edge banding for board doors in our made-to-order range. As standard, the edge band is the same color as the door, but you can alternatively choose any other color or pattern from the edge bands in our board collection.

Door models: *Bella, Brillo, Fenix, **Luxe high-gloss, PET, Sincron, Zenit

* Not Bella Blanca

** Standard 2-colored edge band

ABS EDGE BANDS



Bella Synchron White



Bella Synchron Sand



Bella Synchron
Anthracite



Bella Synchron Black



Bella Synchron Walnut



Bella Synchron Light
Ash



Bella Synchron Ash



Bella Synchron Dark
Ash



Bella Synchron Oak



Bella Synchron Goya



Bella Cafe



Synchron Light Oak



Synchron Grey Oak




Brillo Pearl Grey



Brillo Quartz



Fenix 0029 White



Fenix 0030 Snow
White



Fenix 0032 White



Fenix 0718 Grey



Fenix 0725 Light Grey



Fenix 0720 Black



Luxe White High-
Gloss



Luxe Beige High-
Gloss



Luxe Grey High-Gloss



Luxe Black High-
Gloss



Zenit White SM



Zenit Arena SM



Zenit Camel SM



Zenit Mocca SM



Zenit Cotto SM



Zenit Agave SM



Zenit Dark Green SM



Zenit Blue SM



Zenit Anthracite SM



Zenit Ice Blue Eco SM



Zenit Cashmere Eco
SM




Zenit Black Eco SM



Pet 32UC Grey High-
Gloss



PET 32VE Polar White
High-Gloss




PET 32UI White High-
Gloss



PET 32YP Black
Matte



PET 32TA Anthracite
Matte



PET 32UQ Grey Matte



PET 32US Taupe
Matte



PET 32UE White
Matte



GLASS FRAMES FOR BOARD DOORS

Door models:	Brillo, Fenix, Luxe High-gloss, PET, Synchron, Zenit, Bella (Not Bella Blanca)
Standard dimensions:	Height: 278 mm - Width: 397-1196 mm - Height: 350, 445, 703, 988 mm - Width: 297-1196 mm
Special dimensions:	Height: 279-1196 mm - Width: 297-1196 mm
Dimensions for glass opening:	Measured from back of door; door outer dimensions minus 126 mm (both in width and height). Required clearance for glass (approx ~2 mm) must be taken into account.
Delivery time:	Standard dimensions + special dimensions approx. 15 working days



Clear glass



Etched glass



Grey glass



Bronze glass



Black glass



Striped glass



Clear mirror



GRID leaded glass



DIAMOND leaded glass



BELLA BLANCA MELAMINE

Door thickness	18 mm
Core	18 mm chipboard
Back	Surface-colored MEL
Edge banding	Surface-colored 1 mm ABS-band
Color	Matte white RAL9016, NCS S 0500-N
Delivery time	Standard dimensions + special dimensions approx. 15 working days
Price Group (Pg)	157093 special dimensions



BASIC R2

Door thickness: 16 mm

Core: 16 mm MDF-board

Back: White melamine

Edge shape: R = 2 mm

INTEGRA, CLASSIC, SELMA & SOFIA

Door thickness: 19 mm

Core: 19 mm MDF-board

Back: Painted

Edge shape: R = 2 mm

Delivery time: Matte surface: 20 working days
- High-gloss surface: 25 working days

SIRENA

Door thickness: 19 mm

Core: 19 mm MDF-board

Back: Painted

Edge shape: R = 2 mm

Frame width: 65 mm



BASIC R2 Snow White



BASIC R2 Taupe



Integra Matte



Sofia R2 Matte



Sirena Matte



Classic Matte



Integra High-Gloss



Selma R2 High-Gloss



Sirena High-Gloss



Classic High-Gloss



Integra Snow White Matte



Rakennustieto has granted our painted cabinet doors M1 classification (BASIC R2, INTEGRA, SOFIA R2, SIRENA, CLASSIC, SELMA R2). An M1-classified product is certified for low emissions and promotes good indoor air.

STANDARD COLOR



Snow White



Latte



Sand



Mocca



Light Grey



Grey 454



Grey



Anthracite



Black



Light Blue




Blue



Night Blue




Green



Dark Green



Yellow



Red

INTEGRA MATTE

PG 15260 Standard colors standard dimensions PG 7

PG 15261 Standard colors special dimensions PG 7

PG 15262 White matte special dimensions PG 6

PG 15235 Painted cover panels standard colors matte

SOFIA R2

PG 15240 Standard colors standard dimensions PG 3

PG 15241 Standard colors special dimensions PG 3

PG 15242 White matte special dimensions PG 2

PG 15235 Painted cover panels standard colors matte

SIRENA MATTE

PG 15280 Standard colors standard dimensions PG 12

PG 15281 Standard colors special dimensions PG 12

PG 15282 White matte special dimensions PG 10

CLASSIC MATTE

PG 15300 White matte special dimensions PG 14

PG 15301 Standard colors standard dimensions PG 15

PG 15302 Standard colors special dimensions PG 15

PG 15235 Painted cover panels standard colors matte

BASIC R2

PG 15236 Snow white matte special dimensions PG 1

INTEGRA HIGH-GLOSS

PG 15270 Standard colors standard dimensions PG 9

PG 15271 Standard colors special dimensions PG 9

PG 15272 White high-gloss special dimensions PG 8

PG 15235 Painted cover panels standard colors high-gloss

SELMA R2

PG 15250 Standard colors standard dimensions PG 5

PG 15251 Standard colors special dimensions PG 5

PG 15252 White high-gloss special dimensions PG 4

PG 15235 Painted cover panels standard colors high-gloss

SIRENA HIGH-GLOSS

PG 15283 Standard colors high-gloss standard dimensions PG 13

PG 15284 Standard colors high-gloss special dimensions PG 13

PG 15292 Grey 454 special dimensions PG 11

CLASSIC HIGH-GLOSS

PG 15303 Standard colors high-gloss standard dimensions PG 16

PG 15304 Standard colors high-gloss special dimensions PG 16

PG 15235 Painted cover panels standard colors high-gloss

Colors available in matte and high-gloss finish